

LIFTECH Body Repair Kit

Part Number

804

Working Load Limit

4,000kg

FEATURES

- The LIFTECH body repair kits are designed to save time in setting up to push, pull, bend, straighten, spread, clamp or hold.
- Available in 4,000kg and 10,000kg Working Load Limit.
- · Components available separately .
- Slip-on format.
- Fully serviceable.





	·		
Part No.	Description		
804-1	Plastic Box		
804-2	495mm Extension Tube		
804-3	419mm Extension Tube		
804-4	241mm Extension Tube		
804-5	140mm Extension Tube		
804-6	89mm Extension Tube		
804-7	Serrated Saddle		
804-11	Spreader Ram		
804-12	699mm Rubber Head		
804-13	Spreader Ram Toe		
804-14	Flat Base		
804-15	Spreader Plunger Toe		
804-16	Wedge Head		
804-17	90° V-Base		
804-18	Connector		
804-40	4,000kg Hydraulic manual pump unit		
804-41	4,000kg Ram (slip on) Closed height 271mm, Stroke 127mm, Extended height 398mm		
804-42	1828mm Hose with Half Coupling		



LIFTECH Body Repair Kit

Part Number

810

Working Load Limit

10,000kg



FEATURES

The **LIFTECH** body repair kits are designed to save time in setting up to push, pull, bend, straighten, spread, clamp or hold.

- · High quality.
- Components available separately.
- Sold and serviced in Australia for over 15 years.
- Net Weight 40kg.

Part No.	Description		
810-1	Metal Box		
810-2	686mm Extension Tube		
810-3	457mm Extension Tube		
810-4	254mm Extension Tube		
810-5	127mm Extension Tube		
810-7	Serrated Saddle		
810-11	Spreader Ram		
810-12	82.5mm Rubber Head		
810-13	Flat Base		
810-14	Spreader Ram Toe		
810-15	Spreader Plunger Toe		
810-16	Wedge Head		
810-17	90° V-Base		
810-18	Connector		
810-40	10,000kg Hydraulic		
	manual pump unit		
	10,000kg ram(slip on)		
810-41	Closed height 375mm, Stroke 152mm,		
	Extended Height 527mm		
810-42	1828mm Hose with Half		
010-42	Coupling		



LIFTECH Body Straightening Kit (Dozer) Swivel Type Part Number

851

Working Load Limit

10,000kg



KIT INCLUDES:

- Frame assembly
- Multi-position anchor post
- 10,000Kg 152mm stroke ram
- · Hydraulic hand pump
- Pull ring x 2
- Pull clamp x 2
- 1,829mm Chain with hook x 2
- Support stand x 2
- Cross tube
- Underbody support clamp x 2
- Net weight 218kg



LIFTECH BODY REPAIR CLAMPS AND ACCESSORIES.



*	544

Models	Description	Working Load Limit.		
320	Under body support clamp			
540	Pull hook set			
542	Chain yoke set			
544	Head lamp aperture puller			
22100	Door opening holder set			















Models	Description	Working Load Limit.
CLIOIN	Small mouth clamp	5,000Kg
CL102NN	Box clamp	3,000Kg
CL203	Large mouth clamp	5,000Kg
CL301	Long nose clamp	1,000Kg
CL601	Pull clamp and yoke	5,000Kg
CL602	Right angle clamp and yoke with link	5,000Kg in line pull Working Load Limit.



Part Number **SB**

LIFTECH Hydraulic bender kit

LIFTECH Hydraulic bender kit.

Features: 10,000Kg Working Load Limit., effectively bends in one shot or in segments from 13mm thru to 76mm steel and aluminium rigid conduit. 2 speed hydraulic pump reduces time and effort Positive lock pipe support pins and one piece frame designed for easy pipe insertion and removal.

Kit includes 8 aluminium bending shoes for bending 13mm to 76mm pipe.



Bending Kit includes:

10,000psi pump,

10,000Kg ram,

1.8cm hose,

2 pipe supports,

2 pipe support pins, frame,

7 aluminium bending shoes their sizes are:

13mm, 19mm, 32mm, 38mm, 51mm, 63mm, 76mm.

Net weight 70Kg.





LIFTECH Hydraulic Rams

RAMS



SPECIFICATIONS	610-41	678	680	684
Description	Hydraulic Push Ram (Threaded)	Ram	Ram	Ram (Threaded)
Working Load Limit	10,000kg	4,000kg	2,000kg	10,000kg
Closed Height	369mm	57mm	124mm	371mm
Stroke	153mm	41mm	76mm	203mm
Extended Height	522mm	98mm	200mm	574mm

SPECIFICATIONS	685	688	804-41	810-11	810-41
Description	Ram (Threaded)	Ram	Ram (Slip on)	Spreader Ram	Ram (slip on)
Working Load Limit	10,000kg	10,000kg	4,000kg		10,000kg
Closed Height	406mm	117mm	271mm		375mm
Stroke	254mm	56mm	127mm		152mm
Extended Height	660mm	173mm	398mm		527mm

SPECIFICATIONS	810-CA	810-P42
Description	Ram coupling for Body Repair Kit	Pump coupling for Body Repair Kit



LIFTECH Pulling Ram Kit

Part Number

880, 885



SPECIFICATIONS	880	885
Working Load Limit	2,000kg	5,000kg
Features	Compact Pull Kit with 2,000kg of pulling capacity	Fast chain pull set-up, with this handy 5,000kg ram and chain adaptor set. Claw hooks on each end will accept 9.5mm chain links



RITCH™ Hydraulic Rams and Accessories





Models	Description	Working Load Limit	Closed Height	Stroke	Extended Height
RR1	Ritch Ram (Threaded) with High flow coupling	11,000kg	355mm	152mm	507mm
RRS1	Ritch Ram (Slip on) with High flow coupling	11,000kg	380mm	152mm	532mm
RR22	Ritch Ram (Threaded) with High flow coupling	20,000kg	285mm	127mm	412mm
RC26	Ritch Spreader Ram with High flow coupling 500kg 16mm 95mm			95mm	
RF16	Ritch Rubber Angle Head (Threaded or Slip on) Adjustable heads and connecting bar				



RITCH™ Hydraulic Panel Kit - threaded with 3-tiered trolley

Pitch Pitch

Part Number

RHKT22 Working Load Limit 20,000kg

THE CONTENTS				
Part No.	Description			
RP4	Automatic 2 speed 10,000 manual pump			
RD1	1524mm Hose			
RR22	20,000kg Ram 127mm stroke			
RR2-F1	698.5mm Extension Tube			
RR2-F2	508mm Extension Tube			
RR2-F3	254mm Extension Tube			
RR2-F4	127mm Extension Tube			
RC6	Lock Pin			
RR2-F5	Male Connector x 3			
RR2-F7	Threaded Coupling x 3			
RR2-F14	Plunger Base x 2			
RR2-F13	Toe Lift			
RR2-F12	V Head			
RR2-F8	Wedge Head			
RR2-F11	Serrated Saddle			
RR2-F6	3-shelf service cart			
Net Weight	76kg			



RITCH™ Panel Kit - Air Operated (Threaded)

Part Number

RAKT2
Working Load Limit

10,000kg



Part No.	Description	Part No.	Description
RAP690	10,000 psi Air pump	RF20	90o "V" Head
RD1	10,000 psi Hose	RF8	Wedge Head
RR2	10,000kg Threaded Ram with 152mm stroke	RF14	Plunger Toe
RC26	1,500kg Spreader Ram	RF13	Ram Toe
RL1	635mm Threaded extension Tube	RF5	Rubber Head
RL2	510mm Threaded extension Tube	RF7	Extension Tube Coupling x 2
RL3	380mm Threaded extension Tube	RF11	Serrated Head
RL4	254mm Threaded extension Tube	RL6	Lock Pin
RL7	75mm Male Connector x 2	RF50	Metal Box
RF6	Flat base plate	Net Weight	42kg



RITCH™ Hydraulic Panel Kit - Slip On Part Number

RHKS2

Working Load Limit

10,000kg



Part No.	Description
RP4	Automatic 2 speed 10,000psi manual Pump
RD1	1800mm x 10,000psi hose with half coupling
RC26	Spreader Ram
RRS1	152mm stroke 10,000kg Ram
RS1	510mm extension tube
RS2	380mm extension tube
RS3	254mm extension tube
RS4	127mm extension tube
RS5	76mm rubber ball
RS6	Flat base
RS8	Wedge Head
RS11	Serrated Head
RS21	Male Connector x 5
RS22	V Head
RS23	Plunger Toe
RS24	Ram Toe
RS25	Extension tube adjustable
RF50	Metal Box
Net Weight	42kg



RITCH™ Hydraulic Panel Kit - Threaded Part Number

RHKT2

Working Load Limit

10,000kg



Part No.	Description
RP4	Automatic 2 speed 10,000psi manual Pump
RD1	1829mm x 10,000psi hose
RR2	10,000kg Ram with 152mm Stroke
RC26	Spreader Ram
RL1	635mm threaded extension tube
RL2	510mm threaded extension tube
RL3	380mm threaded extension tube
RL4	254mm threaded extension tube
RL7	Male Connector x 2
RF6	Flat base plate
RF20	90° "V" Base
RF8	Wedge Head
RF14	Plunger Toe
RF13	Ram Toe
RF5	Rubber Head
RF7	Extension Tube Coupling x 2
RF11	Serrated Head
RL6	Lock Pin
RF50	Metal Box
Net Weight	42kg



RITCH™ Hydraulic Panel Kit - Slip On Part Number

RAKS2

Working Load Limit

10,000kg



KIT CONTENTS

Part No.	Description
RAP690	10,000psi air pump
RD1	1800mm x 10,000psi hose with half coupling
RC26	Spreader Ram
RRS1	152mm stroke 10,000kg Ram
RS1	510mm extension tube
RS2	380mm extension tube
RS3	254mm extension tube
RS4	127mm extension tube
RS5	76mm rubber ball
RS6	Flat base
RS8	Wedge Head
RS11	Serrated Head
RS21	Male Connector x 5
RS22	V Head
RS23	Plunger Toe
RS24	Ram Toe
RS25	Extension Tube adjustable
RF50	Metal Box
Net Weight	42kg

KARMOT PTY. LTD. SYDNEY - MELBOURNE